

TABLE 1
HIV^A IN PENNSYLVANIA

TRENDS OF NO. PERSONS LIVING WITH HIV(INCLUDING AIDS) AT THE END OF EACH YEAR: 2003-2008

SOUTHCENTRAL PA AIDS PLANNING COALITION

ADAMS, BEDFORD, BLAIR, CUMBERLAND, DAUPHIN, FRANKLIN, FULTON, HUNTINGDON, JUNIATA, LANCASTER, LEBANON, MIFFLIN, PERRY, YORK COUNTIES

DEMOGRAPHIC CHARACTERISTICS		2003		2004		2005		2006		2007		2008	
		number	percent	number	percent	number	percent	number	percent	number	percent	number	percent
	TOTAL	2120	100	2404	100	2502	100	2933	100	3109	100	3290	100
SEX	MALE	1463	69	1663	69	1798	69	2045	70	2170	70	2297	70
	FEMALE	657	31	741	31	804	31	888	30	939	30	993	30
RACE/ETHNIC	WHITE(NON-HISP)	1132	53	1303	54	1411	54	1611	55	1699	55	1785	54
	BLACK (NON-HISP)	574	27	638	27	691	27	757	26	813	26	872	27
	HISPANIC	408	19	456	19	493	19	556	19	588	19	621	19
	ASIAN/PACIFIC ISL	4	0	5	0	5	0	6	0	6	0	8	0
	NATIVE AMERICAN	2	0	2	0	2	0	2	0	2	0	2	0
	UNKNOWN/MULTIRACE	0	0	0	0	0	0	1	0	1	0	2	0
AGE (YEARS) at HIV diagnosis	0-12 (PEDIATRIC)	21	1	23	1	23	1	26	1	26	1	26	1
	13-19	14	1	16	1	20	1	26	1	28	1	33	1
	20-29	267	13	305	13	338	13	396	14	421	14	446	14
	30-39	804	38	916	38	986	38	1090	37	1144	37	1197	36
	40-49	714	34	803	33	858	33	958	33	1022	33	1079	33
	OVER 49	300	14	341	14	377	14	437	15	468	15	509	15
MODE OF TRANSMISSION	MEN SEX W/MEN (MSM)	641	30	755	31	821	32	965	33	1024	33	1081	33
	INJECTION DRUG (IDU)	658	31	691	29	732	28	795	27	813	26	833	25
	MSM & IDU	86	4	98	4	101	4	106	4	109	4	115	3
	COAGULATION DIS	18	1	17	1	17	1	17	1	17	1	17	1
	HETERO CONTACT	491	23	558	23	598	23	673	23	745	24	810	25
	TRANSFUSION	8	0	8	0	9	0	9	0	10	0	10	0
	UNKNOWN/OTHER	190	9	246	10	291	11	329	11	349	11	382	12
	ALL PEDIATRIC ***	28	1	31	1	33	1	39	1	42	1	42	1
COUNTIES	ADAMS	26	1	34	1	36	1	44	2	51	2	54	2
	BEDFORD	10	0	12	0	18	1	19	1	21	1	22	1
	BLAIR	50	2	62	3	66	3	78	3	87	3	91	3
	CUMBERLAND	292	14	319	13	337	13	367	13	379	12	390	12
	DAUPHIN	630	30	682	28	715	27	801	27	840	27	890	27
	FRANKLIN	58	3	76	3	87	3	100	3	105	3	112	3
	FULTON	4	0	4	0	5	0	6	0	10	0	9	0
	HUNTINGDON	64	3	70	3	73	3	85	3	90	3	93	3
	JUNIATA	7	0	9	0	10	0	12	0	12	0	13	0
	LANCASTER	456	22	537	22	587	23	654	22	689	22	740	22
	LEBANON	87	4	91	4	94	4	112	4	123	4	129	4
	MIFFLIN	9	0	14	1	13	0	15	1	15	0	15	0
	PERRY	17	1	23	1	26	1	31	1	33	1	33	1
	YORK	410	19	471	20	535	21	609	21	654	21	699	21

Cases reported as of 06/30/2009

*** includes adult cases which are assigned pediatric modes of transmission since infection is believed to have accrued before age 13
Percentages may not add to 100% due to rounding
^Excl. Presumptive diagnosis of HIV

HIV Prevalence Supplement to the Integrated Epidemiologic Profile of
HIV/AIDS in Pennsylvania (in support of prevention and care)

HIV/AIDS Investigations-Bureau of Epidemiology
Pennsylvania Department of Health

TABLE 5 HIV^A IN PENNSYLVANIA

TRENDS OF NO. PERSONS LIVING WITH HIV(INCLUDING AIDS) AT THE END OF EACH YEAR: 2003-2008

CUMBERLAND COUNTY

DEMOGRAPHIC CHARACTERISTICS		2003		2004		2005		2006		2007		2008	
		number	percent	number	percent	number	percent	number	percent	number	percent	number	percent
	TOTAL	292	100	319	100	337	100	367	100	379	100	390	100
SEX	MALE	260	89	283	89	298	88	322	88	334	88	345	88
	FEMALE	32	11	36	11	39	12	45	12	45	12	45	12
RACE/ETHNIC	WHITE(NON-HISP)	139	48	153	48	159	47	177	48	188	50	193	49
	BLACK (NON-HISP)	104	36	116	36	124	37	131	36	133	35	136	35
	HISPANIC	48	16	49	15	53	16	57	16	56	15	58	15
	ASIAN/PACIFIC ISL.	0	0	0	0	0	0	1	0	1	0	2	1
	NATIVE AMERICAN	1	0	1	0	1	0	1	0	1	0	1	0
	UNKNOWN/MULTIRACE	0	0	0	0	0	0	0	0	0	0	0	0
AGE (YEARS) at HIV diagnosis	0-12 (PEDIATRIC)	1	0	1	0	1	0	1	0	1	0	1	0
	13-19	1	0	2	1	2	1	3	1	3	1	3	1
	20-29	34	12	35	11	37	11	42	11	44	12	45	12
	30-39	124	42	134	42	141	42	149	41	154	41	157	40
	40-49	95	33	106	33	110	33	119	32	123	32	127	33
	OVER 49	37	13	41	13	46	14	53	14	54	14	57	15
MODE OF TRANSMISSION	MEN SEX W/MEN (MSM)	70	24	82	26	85	25	102	28	109	29	115	29
	INJECTION DRUG (IDU)	136	47	139	44	147	44	155	42	155	41	158	41
	MSM & IDU	13	4	15	5	15	4	15	4	16	4	17	4
	COAGULATION DIS	4	1	4	1	4	1	4	1	4	1	4	1
	HETERO CONTACT	45	15	54	17	59	18	64	17	68	18	68	17
	TRANSFUSION	1	0	1	0	1	0	1	0	1	0	1	0
	UNKNOWN/OTHER	20	7	21	7	23	7	23	6	23	6	24	6
	ALL PEDIATRIC ***	3	1	3	1	3	1	3	1	3	1	3	1

Cases reported as of 06/30/2009

*** includes adult cases which are assigned pediatric modes of transmission since infection is believed to have accrued before age 13

Percentages may not add to 100% due to rounding

^AExcl. Presumptive diagnosis of HIV

HIV Prevalence Supplement to the Integrated Epidemiologic Profile of
HIV/AIDS in Pennsylvania (in support of prevention and care)

HIV/AIDS Investigations-Bureau of Epidemiology
Pennsylvania Department of Health

TABLE 6
HIV[^] IN PENNSYLVANIA

TRENDS OF NO. PERSONS LIVING WITH HIV(INCLUDING AIDS) AT THE END OF EACH YEAR: 2003-2008

DAUPHIN COUNTY

DEMOGRAPHIC CHARACTERISTICS		2003		2004		2005		2006		2007		2008	
		number	percent	number	percent	number	percent	number	percent	number	percent	number	percent
	TOTAL	630	100	682	100	715	100	801	100	840	100	890	100
SEX	MALE	431	68	471	69	487	68	547	68	574	68	608	68
	FEMALE	199	32	211	31	228	32	254	32	266	32	282	32
RACE/ETHNIC	WHITE(NON-HISP)	309	49	352	52	366	51	421	53	436	52	456	51
	BLACK (NON-HISP)	240	38	246	36	262	37	281	35	304	36	329	37
	HISPANIC	77	12	80	12	83	12	95	12	96	11	101	11
	ASIAN/PACIFIC ISL.	3	0	3	0	3	0	3	0	3	0	3	0
	NATIVE AMERICAN	1	0	1	0	1	0	1	0	1	0	1	0
	UNKNOWN/MULTIRACE	0	0	0	0	0	0	0	0	0	0	0	0
AGE (YEARS) at HIV diagnosis	0-12 (PEDIATRIC)	4	1	4	1	4	1	5	1	5	1	5	1
	13-19	4	1	4	1	5	1	10	1	12	1	13	1
	20-29	86	14	92	13	98	14	111	14	122	15	130	15
	30-39	213	34	239	35	246	34	276	34	283	34	299	34
	40-49	225	36	241	35	253	35	276	34	285	34	297	33
	OVER 49	98	16	102	15	109	15	123	15	133	16	146	16
MODE OF TRANSMISSION	MEN SEX W/MEN (MSM)	234	37	269	39	282	39	321	40	338	40	353	40
	INJECTION DRUG (IDU)	171	27	168	25	173	24	189	24	191	23	194	22
	MSM & IDU	39	6	43	6	43	6	43	5	43	5	43	5
	COAGULATION DIS	5	1	4	1	4	1	4	0	4	0	4	0
	HETERO CONTACT	156	25	173	25	187	26	213	27	230	27	254	29
	TRANSFUSION	1	0	1	0	1	0	1	0	1	0	1	0
	UNKNOWN/OTHER	20	3	20	3	20	3	24	3	26	3	34	4
	ALL PEDIATRIC ***	4	1	4	1	5	1	6	1	7	1	7	1

Cases reported as of 06/30/2009

*** includes adult cases which are assigned pediatric modes of transmission since infection is believed to have accrued before age 13
Percentages may not add to 100% due to rounding
^Excl. Presumptive diagnosis of HIV

HIV Prevalence Supplement to the Integrated Epidemiologic Profile of
HIV/AIDS in Pennsylvania (in support of prevention and care)

HIV/AIDS Investigations-Bureau of Epidemiology
Pennsylvania Department of Health

TABLE 7 HIV^A IN PENNSYLVANIA

TRENDS OF NO. PERSONS LIVING WITH HIV(INCLUDING AIDS) AT THE END OF EACH YEAR: 2003-2008

FRANKLIN COUNTY

DEMOGRAPHIC CHARACTERISTICS		2003		2004		2005		2006		2007		2008	
		number	percent	2004 percent	number	percent	number	percent	number	percent	number	percent	
	TOTAL	58	100	76	100	87	100	100	100	105	100	112	100
SEX	MALE	35	60	49	64	58	67	69	69	72	69	76	68
	FEMALE	23	40	27	36	29	33	31	31	33	31	36	32
RACE/ETHNIC	WHITE(NON-HISP)	41	71	54	71	58	67	65	65	67	64	69	62
	BLACK (NON-HISP)	13	22	16	21	20	23	24	24	26	25	27	24
	HISPANIC	4	7	6	8	9	10	11	11	12	11	15	13
	ASIAN/PACIFIC ISL.	0	0	0	0	0	0	0	0	0	0	0	0
	NATIVE AMERICAN	0	0	0	0	0	0	0	0	0	0	0	0
	UNKNOWN/MULTIRACE	0	0	0	0	0	0	0	0	0	0	1	1
AGE (YEARS) at HIV diagnosis	0-12 (PEDIATRIC)	0	0	0	0	0	0	0	0	0	0	0	0
	13-19	0	0	1	1	1	1	1	1	1	1	2	2
	20-29	9	16	10	13	12	14	14	14	15	14	16	14
	30-39	23	40	31	41	33	38	37	37	39	37	41	37
	40-49	17	29	24	32	27	31	34	34	35	33	37	33
	OVER 49	9	16	10	13	14	16	14	14	15	14	16	14
MODE OF TRANSMISSION	MEN SEX W/MEN (MSM)	16	28	26	34	31	36	36	36	38	36	39	35
	INJECTION DRUG (IDU)	10	17	11	14	14	16	16	16	16	15	16	14
	MSM & IDU	6	10	8	11	8	9	9	9	9	9	9	8
	COAGULATION DIS	0	0	0	0	0	0	0	0	0	0	0	0
	HETERO CONTACT	23	40	28	37	31	36	36	36	39	37	44	39
	TRANSFUSION	1	2	1	1	1	1	1	1	1	1	1	1
	UNKNOWN/OTHER	2	3	2	3	2	2	2	2	2	2	3	3
	ALL PEDIATRIC ***	0	0	0	0	0	0	0	0	0	0	0	0

Cases reported as of 06/30/2009

*** includes adult cases which are assigned pediatric modes of transmission since infection is believed to have accrued before age 13

Percentages may not add to 100% due to rounding

^AExcl. Presumptive diagnosis of HIV

HIV Prevalence Supplement to the Integrated Epidemiologic Profile of
HIV/AIDS in Pennsylvania (in support of prevention and care)

HIV/AIDS Investigations-Bureau of Epidemiology
Pennsylvania Department of Health

TABLE 11
HIV^A IN PENNSYLVANIA

TRENDS OF NO. PERSONS LIVING WITH HIV(INCLUDING AIDS) AT THE END OF EACH YEAR: 2003-2008

LANCASTER COUNTY

DEMOGRAPHIC CHARACTERISTICS	2003		2004		2005		2006		2007		2008	
	number	percent	number	percent	number	percent	number	percent	number	percent	number	percent
TOTAL	456	100	537	100	587	100	654	100	689	100	740	100
SEX												
MALE	283	62	329	61	371	63	423	65	447	65	479	65
FEMALE	173	38	208	39	216	37	231	35	242	35	261	35
RACE/ETHNIC												
WHITE(NON-HISP)	233	51	272	51	293	50	330	50	345	50	369	50
BLACK (NON-HISP)	77	17	103	19	112	19	124	19	131	19	144	19
HISPANIC	145	32	161	30	181	31	199	30	212	31	226	31
ASIAN/PACIFIC ISL.	1	0	1	0	1	0	1	0	1	0	1	0
NATIVE AMERICAN	0	0	0	0	0	0	0	0	0	0	0	0
UNKNOWN/MULTIRACE	0	0	0	0	0	0	0	0	0	0	0	0
AGE (YEARS) at HIV diagnosis												
0-12 (PEDIATRIC)	10	2	10	2	10	2	12	2	12	2	12	2
13-19	4	1	4	1	6	1	6	1	6	1	8	1
20-29	62	14	72	13	80	14	93	14	98	14	103	14
30-39	186	41	217	40	238	41	258	39	270	39	285	39
40-49	133	29	162	30	176	30	198	30	209	30	227	31
OVER 49	61	13	72	13	77	13	87	13	94	14	105	14
MODE OF TRANSMISSION												
MEN SEX W/MEN (MSM)	123	27	135	25	146	25	165	25	176	26	195	26
INJECTION DRUG (IDU)	121	27	133	25	146	25	158	24	166	24	175	24
MSM & IDU	7	2	8	1	9	2	10	2	10	1	10	1
COAGULATION DIS	4	1	4	1	4	1	4	1	4	1	4	1
HETERO CONTACT	101	22	113	21	119	20	126	19	132	19	142	19
TRANSFUSION	0	0	0	0	0	0	0	0	0	0	0	0
UNKNOWN/OTHER	87	19	131	24	149	25	174	27	184	27	197	27
ALL PEDIATRIC ***	13	3	13	2	14	2	17	3	17	2	17	2

Cases reported as of 06/30/2009

*** Includes adult cases which are assigned pediatric modes of transmission since infection is believed to have accrued before age 13

Percentages may not add to 100% due to rounding

^AExcl. Presumptive diagnosis of HIV

HIV Prevalence Supplement to the Integrated Epidemiologic Profile of
HIV/AIDS in Pennsylvania (in support of prevention and care)

HIV/AIDS Investigations-Bureau of Epidemiology
Pennsylvania Department of Health

TABLE 12 HIV^A IN PENNSYLVANIA

TRENDS OF NO. PERSONS LIVING WITH HIV(INCLUDING AIDS) AT THE END OF EACH YEAR: 2003-2008

LEBANON COUNTY

DEMOGRAPHIC CHARACTERISTICS		2003		2004		2005		2006		2007		2008	
		number	percent	number	percent	number	percent	number	percent	number	percent	number	percent
	TOTAL	87	100	91	100	94	100	112	100	123	100	129	100
SEX	MALE	55	63	56	62	57	61	65	58	70	57	75	58
	FEMALE	32	37	35	38	37	39	47	42	53	43	54	42
RACE/ETHNIC	WHITE(NON-HISP)	52	60	51	56	52	55	59	53	61	50	65	50
	BLACK (NON-HISP)	5	6	5	5	5	5	6	5	8	7	9	7
	HISPANIC	30	34	35	38	37	39	47	42	54	44	55	43
	ASIAN/PACIFIC ISL.	0	0	0	0	0	0	0	0	0	0	0	0
	NATIVE AMERICAN	0	0	0	0	0	0	0	0	0	0	0	0
	UNKNOWN/MULTIRACE	0	0	0	0	0	0	0	0	0	0	0	0
AGE (YEARS) at HIV diagnosis	0-12 (PEDIATRIC)	0	0	0	0	0	0	0	0	0	0	0	0
	13-19	1	1	1	1	1	1	1	1	1	1	1	1
	20-29	12	14	13	14	13	14	17	15	17	14	18	14
	30-39	34	39	35	38	37	39	43	38	47	38	51	40
	40-49	33	38	34	37	35	37	39	35	45	37	44	34
	OVER 49	7	8	8	9	8	9	12	11	13	11	15	12
MODE OF TRANSMISSION	MEN SEX W/MEN (MSM)	31	36	31	34	31	33	33	29	34	28	36	28
	INJECTION DRUG (IDU)	25	29	26	29	27	29	31	28	32	26	31	24
	MSM & IDU	4	5	4	4	4	4	4	4	4	3	4	3
	COAGULATION DIS	1	1	1	1	1	1	1	1	1	1	1	1
	HETERO CONTACT	23	26	26	29	28	30	39	35	48	39	51	40
	TRANSFUSION	0	0	0	0	0	0	0	0	0	0	0	0
	UNKNOWN/OTHER	2	2	2	2	2	2	2	2	2	2	4	3
	ALL PEDIATRIC ***	1	1	1	1	1	1	2	2	2	2	2	2

Cases reported as of 06/30/2009

*** includes adult cases which are assigned pediatric modes of transmission since infection is believed to have accrued before age 13

Percentages may not add to 100% due to rounding

^AExcl. Presumptive diagnosis of HIV

HIV Prevalence Supplement to the Integrated Epidemiologic Profile of
HIV/AIDS in Pennsylvania (in support of prevention and care)

HIV/AIDS Investigations-Bureau of Epidemiology
Pennsylvania Department of Health

TABLE 14 HIV^A IN PENNSYLVANIA

TRENDS OF NO. PERSONS LIVING WITH HIV (INCLUDING AIDS) AT THE END OF EACH YEAR: 2003-2008

PERRY COUNTY

DEMOGRAPHIC CHARACTERISTICS		2003		2004		2005		2006		2007		2008	
		number	percent	number	percent	number	percent	number	percent	number	percent	number	percent
	TOTAL	17	100	23	100	26	100	31	100	33	100	33	100
SEX	MALE	10	59	14	61	17	65	21	68	23	70	23	70
	FEMALE	7	41	9	39	9	35	10	32	10	30	10	30
RACE/ETHNIC	WHITE (NON-HISP)	16	94	22	96	25	96	29	94	31	94	31	94
	BLACK (NON-HISP)	0	0	0	0	0	0	1	3	1	3	1	3
	HISPANIC	1	6	1	4	1	4	1	3	1	3	1	3
	ASIAN/PACIFIC ISL.	0	0	0	0	0	0	0	0	0	0	0	0
	NATIVE AMERICAN	0	0	0	0	0	0	0	0	0	0	0	0
	UNKNOWN/MULTIRACE	0	0	0	0	0	0	0	0	0	0	0	0
AGE (YEARS) at HIV diagnosis	0-12 (PEDIATRIC)	0	0	0	0	0	0	0	0	0	0	0	0
	13-19	0	0	0	0	0	0	0	0	0	0	0	0
	20-29	3	18	5	22	6	23	8	26	9	27	9	27
	30-39	9	53	10	43	12	46	13	42	13	39	13	39
	40-49	5	29	7	30	7	27	8	26	9	27	9	27
	OVER 49	0	0	1	4	1	4	2	6	2	6	2	6
MODE OF TRANSMISSION	MEN SEX W/MEN (MSM)	8	47	11	48	13	50	16	52	17	52	17	52
	INJECTION DRUG (IDU)	4	24	4	17	4	15	5	16	5	15	5	15
	MSM & IDU	1	6	1	4	1	4	2	6	2	6	2	6
	COAGULATION DIS	0	0	0	0	0	0	0	0	0	0	0	0
	HETERO CONTACT	3	18	6	26	7	27	7	23	8	24	8	24
	TRANSFUSION	0	0	0	0	0	0	0	0	0	0	0	0
	UNKNOWN/OTHER	1	6	1	4	1	4	1	3	1	3	1	3
	ALL PEDIATRIC ***	0	0	0	0	0	0	0	0	0	0	0	0

Cases reported as of 06/30/2009

*** includes adult cases which are assigned pediatric modes of transmission since infection is believed to have accrued before age 13

Percentages may not add to 100% due to rounding

^AExcl. Presumptive diagnosis of HIV

HIV Prevalence Supplement to the Integrated Epidemiologic Profile of
HIV/AIDS in Pennsylvania (in support of prevention and care)

HIV/AIDS Investigations-Bureau of Epidemiology
Pennsylvania Department of Health

TABLE 15 HIV^A IN PENNSYLVANIA

TRENDS OF NO. PERSONS LIVING WITH HIV (INCLUDING AIDS) AT THE END OF EACH YEAR: 2003-2008

YORK COUNTY

DEMOGRAPHIC CHARACTERISTICS		2003		2004		2005		2006		2007		2008	
		number	percent	number	percent	number	percent	number	percent	number	percent	number	percent
	TOTAL	410	100	471	100	535	100	609	100	654	100	699	100
SEX	MALE	250	61	292	62	330	62	382	63	412	63	443	63
	FEMALE	160	39	179	38	205	38	227	37	242	37	256	37
RACE/ETHNIC	WHITE (NON-HISP)	236	58	270	57	318	59	367	60	389	59	413	59
	BLACK (NON-HISP)	90	22	104	22	115	21	126	21	139	21	151	22
	HISPANIC	84	20	96	20	101	19	114	19	124	19	132	19
	ASIAN/PACIFIC ISL.	0	0	1	0	1	0	1	0	1	0	2	0
	NATIVE AMERICAN	0	0	0	0	0	0	0	0	0	0	0	0
	UNKNOWN/MULTIRACE	0	0	0	0	0	0	1	0	1	0	1	0
AGE (YEARS) at HIV diagnosis	0-12 (PEDIATRIC)	5	1	7	1	7	1	7	1	7	1	7	1
	13-19	3	1	3	1	4	1	4	1	4	1	5	1
	20-29	42	10	49	10	62	12	73	12	75	11	81	12
	30-39	153	37	178	38	203	38	226	37	239	37	249	36
	40-49	145	35	159	34	174	33	198	33	223	34	241	34
	OVER 49	62	15	75	16	85	16	101	17	106	16	116	17
MODE OF TRANSMISSION	MEN SEX W/MEN (MSM)	92	22	115	24	140	26	170	28	177	27	188	27
	INJECTION DRUG (IDU)	143	35	156	33	161	30	178	29	182	28	186	27
	MSM & IDU	8	2	11	2	13	2	13	2	13	2	17	2
	COAGULATION DIS	1	0	1	0	1	0	1	0	1	0	1	0
	HETERO CONTACT	113	28	123	26	131	24	148	24	174	27	194	28
	TRANSFUSION	3	1	3	1	4	1	4	1	5	1	5	1
	UNKNOWN/OTHER	45	11	55	12	78	15	87	14	94	14	100	14
	ALL PEDIATRIC ***	5	1	7	1	7	1	8	1	8	1	8	1

Cases reported as of 06/30/2009

*** includes adult cases which are assigned pediatric modes of transmission since infection is believed to have accrued before age 13

Percentages may not add to 100% due to rounding

^AExcl. Presumptive diagnosis of HIV

HIV Prevalence Supplement to the Integrated Epidemiologic Profile of
HIV/AIDS in Pennsylvania (in support of prevention and care)

HIV/AIDS Investigations-Bureau of Epidemiology
Pennsylvania Department of Health